



J0981

WaterMark

Certificate of Conformity

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

Metal Manufactures Ltd

Trading as MM Kembla

The right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Metallic Press Fit Fittings
Product Use: Water Supply
Brand: KemPress® Copper KemPress® Stainless
Certification Specification: AS 3688:2016 Water supply and gas systems—Metallic fittings and end connectors
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date: 7th July 2025
Initial Issue Date: 8th December 2011
Expiry Date: 29th August 2029

Simon Clarke
General Manager

Certificate No.: 23087

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety.



Pro-Switch Pty Ltd
ABN 37 121 022 366
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

WaterMark Approved User	Metal Manufactures Ltd ABN: 13 003 762 641
Approved User Address	Gloucester Boulevard Port Kembla NSW 2505 AUSTRALIA www.kembla.com
Certificate Number	23087
Certification Standard	AS 3688:2016 Water supply and gas systems—Metallic fittings and end connectors

Product List - KemPress® Copper

Model ID	Brand Name	Product Description	Material Designation
J06700	KemPress® Copper	DN15 Straight Connector - Press Fit Copper Body High Temperature	Copper
J06761	KemPress® Copper	DN15 Elbow 90° F x F - Press Fit Copper Body High Temperature	Copper
J06762	KemPress® Copper	DN15 Elbow 90° F x F - Press Fit Copper Body High Temperature	Copper
J09000	KemPress® Copper	DN 15 Straight Connector - Press Fit Copper Body	Copper
J09001	KemPress® Copper	DN 20 Straight Connector - Press Fit Copper Body	Copper
J09002	KemPress® Copper	DN 25 Straight Connector - Press Fit Copper Body	Copper
J09003	KemPress® Copper	DN 32 Straight Connector - Press Fit Copper Body	Copper
J09004	KemPress® Copper	DN 40 Straight Connector - Press Fit Copper Body	Copper
J09005	KemPress® Copper	DN 50 Straight Connector - Press Fit Copper Body	Copper
J09010	KemPress® Copper	DN 15 Elbow 45° F x F - Press Fit Copper Body	Copper
J09011	KemPress® Copper	DN 20 Elbow 45° F x F - Press Fit Copper Body	Copper
J09012	KemPress® Copper	DN 25 Elbow 45° F x F - Press Fit Copper Body	Copper
J09013	KemPress® Copper	DN 32 Elbow 45° F x F - Press Fit Copper Body	Copper
J09014	KemPress® Copper	DN 40 Elbow 45° F x F - Press Fit Copper Body	Copper
J09015	KemPress® Copper	DN 50 Elbow 45° F x F - Press Fit Copper Body	Copper
J09020	KemPress® Copper	DN15 Elbow 90° M x F - Press Fit Copper Body	Copper
J09021	KemPress® Copper	DN20 Elbow 90° M x F - Press Fit Copper Body	Copper
J09022	KemPress® Copper	DN25 Elbow 90° M x F - Press Fit Copper Body	Copper
J09023	KemPress® Copper	DN32 Elbow 90° M x F - Press Fit Copper Body	Copper



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
J09024	KemPress® Copper	DN40 Elbow 90° M x F - Press Fit Copper Body	Copper
J09026	KemPress® Copper	DN50 Elbow 90° M x F - Press Fit Copper Body	Copper
J09030	KemPress® Copper	DN20 x DN20 x DN15 Reducing Tee - Press Fit Copper Body	Copper
J09031	KemPress® Copper	DN25 x DN25 x DN15 Reducing Tee - Press Fit Copper Body	Copper
J09032	KemPress® Copper	DN25 x DN25 x DN20 Reducing Tee - Press Fit Copper Body	Copper
J09033	KemPress® Copper	DN32 x DN32 x DN25 Reducing Tee - Press Fit Copper Body	Copper
J09034	KemPress® Copper	DN40 x DN40 x DN32 Reducing Tee - Press Fit Copper Body	Copper
J09035	KemPress® Copper	DN20 x DN15 Straight Reducer - Press Fit Copper Body	Copper
J09036	KemPress® Copper	DN25 x DN20 Straight Reducer - Press Fit Copper Body	Copper
J09037	KemPress® Copper	DN15 x R 1/2" Male Plug In Adaptor - Press Fit DR Brass	DR Brass
J09038	KemPress® Copper	DN20 x R 1/2" Male Plug In Adaptor - Press Fit DR Brass	DR Brass
J09039	KemPress® Copper	DN20 x R 3/4" Male Plug In Adaptor - Press Fit DR Brass	DR Brass
J09040	KemPress® Copper	DN15 x R1/2" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09041	KemPress® Copper	DN15 x R3/4" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09042	KemPress® Copper	DN20 x R1/2" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09044	KemPress® Copper	DN20 x R3/4" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09046	KemPress® Copper	DN25 x R3/4" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09047	KemPress® Copper	DN25 x R1" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09048	KemPress® Copper	DN32 x R1 1/4" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09050	KemPress® Copper	DN40 x R1 1/2" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09052	KemPress® Copper	DN50 x R2" Male Line Adaptor - Press Fit DR Brass	DR Brass
J09053	KemPress® Copper	DN15 x RP1/2" Union - Press Fit DR Brass	DR Brass
J09054	KemPress® Copper	DN20 x RP3/4" Union - Press Fit DR Brass	DR Brass
J09055	KemPress® Copper	DN 15 Slip Connector - Press Fit Copper Body	Copper
J09056	KemPress® Copper	DN 20 Slip Connector - Press Fit Copper Body	Copper
J09057	KemPress® Copper	DN 25 Slip Connector - Press Fit Copper Body	Copper



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
J09058	KemPress® Copper	DN 32 Slip Connector - Press Fit Copper Body	Copper
J09059	KemPress® Copper	DN 40 Slip Connector - Press Fit Copper Body	Copper
J09060	KemPress® Copper	DN 50 Slip Connector - Press Fit Copper Body	Copper
J09061	KemPress® Copper	DN 15 Elbow 90° F x F - Press Fit Copper Body	Copper
J09062	KemPress® Copper	DN 20 Elbow 90° F x F - Press Fit Copper Body	Copper
J09063	KemPress® Copper	DN 25 Elbow 90° F x F - Press Fit Copper Body	Copper
J09064	KemPress® Copper	DN32 Elbow 90° F x F - Press Fit Copper Body	Copper
J09065	KemPress® Copper	DN40 Elbow 90° F x F - Press Fit Copper Body	Copper
J09066	KemPress® Copper	DN50 Elbow 90° F x F - Press Fit Copper Body	Copper
J09070	KemPress® Copper	DN15 Equal Tee - Press Fit Copper Body	Copper
J09071	KemPress® Copper	DN20 Equal Tee - Press Fit Copper Body	Copper
J09072	KemPress® Copper	DN25 Equal Tee - Press Fit Copper Body	Copper
J09073	KemPress® Copper	DN32 Equal Tee - Press Fit Copper Body	Copper
J09074	KemPress® Copper	DN40 Equal Tee - Press Fit Copper Body	Copper
J09075	KemPress® Copper	DN50 Equal Tee - Press Fit Copper Body	Copper
J09101	KemPress® Copper	DN20 x DN15 Straight Reducer MxF - Press Fit Copper Body	Copper
J09103	KemPress® Copper	DN25 x DN15 Straight Reducer MxF - Press Fit Copper Body	Copper
J09105	KemPress® Copper	DN25 x DN20 Straight Reducer MxF - Press Fit Copper Body	Copper
J09108	KemPress® Copper	DN32 x DN25 Straight Reducer MxF - Press Fit Copper Body	Copper
J09110	KemPress® Copper	DN40 x DN25 Straight Reducer MxF - Press Fit Copper Body	Copper
J09112	KemPress® Copper	DN40 x DN32 Straight Reducer MxF - Press Fit Copper Body	Copper
J09113	KemPress® Copper	DN50 x DN25 Straight Reducer MxF - Press Fit Copper Body	Copper
J09114	KemPress® Copper	DN50 x DN32 Straight Reducer MxF - Press Fit Copper Body	Copper
J09115	KemPress® Copper	DN50 x DN40 Straight Reducer MxF - Press Fit Copper Body	Copper
J09116	KemPress® Copper	DN15 x GB1/2" Threaded Male Back Plated Elbow - Press Fit DR Brass	DR Brass
J09117	KemPress® Copper	DN15 x RP1/2" Female Threaded Back Plated Elbow - Press Fit DR Brass	DR Brass



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
J09118	KemPress® Copper	DN20 x RP3/4" Female Threaded Back Plated Elbow - Press Fit DR Brass	DR Brass
J09119	KemPress® Copper	DN40 Flange Adaptor - Press Fit DR Brass	DR Brass
J09120	KemPress® Copper	DN50 Flange Adaptor - Press Fit DR Brass	DR Brass
J09121	KemPress® Copper	DN15 End Cap - Press Fit DR Brass	DR Brass
J09122	KemPress® Copper	DN20 End Cap - Press Fit DR Brass	DR Brass
J09123	KemPress® Copper	DN25 End Cap - Press Fit DR Brass	DR Brass
J09124	KemPress® Copper	DN32 End Cap - Press Fit DR Brass	DR Brass
J09125	KemPress® Copper	DN40 End Cap - Press Fit DR Brass	DR Brass
J09126	KemPress® Copper	DN50 End Cap - Press Fit DR Brass	DR Brass
J09127	KemPress® Copper	DN15 x GB 1/2" Threaded Male Back Plated Elbow - Press Fit DR Brass	DR Brass
J09130	KemPress® Copper	DN 15 x RP 1/2" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09131	KemPress® Copper	DN 20 x RP 3/4" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09132	KemPress® Copper	DN 25 x RP 1" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09133	KemPress® Copper	DN 32 x RP 1 1/4" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09134	KemPress® Copper	DN 40 x RP 1 1/2" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09135	KemPress® Copper	DN 50 x RP 2" BSP Female Line Adaptor- Press Fit DR Brass	DR Brass
J09140	KemPress® Copper	DN15 x RP 1/2" Female Plug In Adaptor - Press Fit DR Brass	DR Brass
J09141	KemPress® Copper	DN20 x RP 1/2" Female Plug In Adaptor - Press Fit DR Brass	DR Brass
J09142	KemPress® Copper	DN20 x RP 3/4" Female Plug In Adaptor - Press Fit DR Brass	DR Brass
J09274	KemPress® Copper	DN20x15x20 Reducing Tee - Press Fit Copper Body	Copper
J09275	KemPress® Copper	DN20x15x15 Reducing Tee - Press Fit Copper Body	Copper
J09277	KemPress® Copper	DN50x50x40 Reducing Tee - Press Fit Copper Body	Copper
J09280	KemPress® Copper	DN25x15 Straight Reducer FxF - Press Fit Copper Body	Copper
J09281	KemPress® Copper	DN32x20 Straight Reducer FxF - Press Fit Copper Body	Copper
J09282	KemPress® Copper	DN32x25 Straight Reducer FxF - Press Fit Copper Body	Copper
J09283	KemPress® Copper	DN40x32 Straight Reducer FxF - Press Fit Copper Body	Copper



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
J09284	KemPress® Copper	DN50x40 Straight Reducer FxF - Press Fit Copper Body	Copper
J09620	KemPress® Copper	DN32x15 Straight Reducer FxF - Press Fit Copper Body	Copper
J09621	KemPress® Copper	DN40x20 Straight Reducer FxF - Press Fit Copper Body	Copper
J09622	KemPress® Copper	DN40x25 Straight Reducer FxF - Press Fit Copper Body	Copper
J09623	KemPress® Copper	DN50x20 Straight Reducer FxF - Press Fit Copper Body	Copper
J09624	KemPress® Copper	DN50x25 Straight Reducer FxF - Press Fit Copper Body	Copper
J09625	KemPress® Copper	DN50x32 Straight Reducer FxF - Press Fit Copper Body	Copper
J09626	KemPress® Copper	DN32x32x15 Reducing Tee - Press Fit Copper Body	Copper
J09627	KemPress® Copper	DN32x32x20 Reducing Tee - Press Fit Copper Body	Copper
J09628	KemPress® Copper	DN40x40x20 Reducing Tee - Press Fit Copper Body	Copper
J09629	KemPress® Copper	DN40x40x25 Reducing Tee - Press Fit Copper Body	Copper
J09630	KemPress® Copper	DN50x50x20 Reducing Tee - Press Fit Copper Body	Copper
J09631	KemPress® Copper	DN50x50x25 Reducing Tee - Press Fit Copper Body	Copper
J09813	KemPress® Copper	DN15 x RP 1/2" Threaded (Female) Elbow 90° - Press Fit DR Brass	DR Brass
J09814	KemPress® Copper	DN20 x RP 3/4" Threaded (Female) Elbow 90° - Press Fit DR Brass	DR Brass
J09815	KemPress® Copper	DN15 x R 1/2" Threaded (Male) Elbow 90° - Press Fit DR Brass	DR Brass
J09816	KemPress® Copper	DN20 x R 3/4" Threaded (Male) Elbow 90° - Press Fit DR Brass	DR Brass



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

WaterMark Approved User	Metal Manufactures Ltd ABN: 13 003 762 641
Approved User Address	Gloucester Boulevard Port Kembla NSW 2505 AUSTRALIA www.kembla.com
Certificate Number	23087
Certification Standard	AS 3688:2016 Water supply and gas systems—Metallic fittings and end connectors

Product List - KemPress® Stainless

Model ID	Brand Name	Product Description	Material Designation
X95300	KemPress® Stainless	DN15 Stainless Steel Press Fit Coupling	Stainless Steel
X95301	KemPress® Stainless	DN20 Stainless Steel Press Fit Coupling	Stainless Steel
X95302	KemPress® Stainless	DN25 Stainless Steel Press Fit Coupling	Stainless Steel
X95303	KemPress® Stainless	DN32 Stainless Steel Press Fit Coupling	Stainless Steel
X95304	KemPress® Stainless	DN40 Stainless Steel Press Fit Coupling	Stainless Steel
X95305	KemPress® Stainless	DN50 Stainless Steel Press Fit Coupling	Stainless Steel
X95306	KemPress® Stainless	DN65 Stainless Steel Press Fit Coupling	Stainless Steel
X95307	KemPress® Stainless	DN100 Stainless Steel Press Fit Coupling	Stainless Steel
X95310	KemPress® Stainless	DN15 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95311	KemPress® Stainless	DN20 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95312	KemPress® Stainless	DN25 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95313	KemPress® Stainless	DN32 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95314	KemPress® Stainless	DN40 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95315	KemPress® Stainless	DN50 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95316	KemPress® Stainless	DN65 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95317	KemPress® Stainless	DN100 Stainless Steel Press Fit Coupling High Temperature	Stainless Steel
X95350	KemPress® Stainless	DN15 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95351	KemPress® Stainless	DN20 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95352	KemPress® Stainless	DN25 Stainless Steel Press Fit Slip Coupling	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95353	KemPress® Stainless	DN32 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95354	KemPress® Stainless	DN40 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95355	KemPress® Stainless	DN50 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95356	KemPress® Stainless	DN65 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95357	KemPress® Stainless	DN100 Stainless Steel Press Fit Slip Coupling	Stainless Steel
X95360	KemPress® Stainless	DN15 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95361	KemPress® Stainless	DN20 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95362	KemPress® Stainless	DN25 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95363	KemPress® Stainless	DN32 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95364	KemPress® Stainless	DN40 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95365	KemPress® Stainless	DN50 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95366	KemPress® Stainless	DN65 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95367	KemPress® Stainless	DN100 Stainless Steel Press Fit Slip Coupling High Temperature	Stainless Steel
X95450	KemPress® Stainless	DN15 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95451	KemPress® Stainless	DN20 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95452	KemPress® Stainless	DN25 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95453	KemPress® Stainless	DN32 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95454	KemPress® Stainless	DN40 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95455	KemPress® Stainless	DN50 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95456	KemPress® Stainless	DN65 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95457	KemPress® Stainless	DN100 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95460	KemPress® Stainless	DN15 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95461	KemPress® Stainless	DN20 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95462	KemPress® Stainless	DN25 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95463	KemPress® Stainless	DN32 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95464	KemPress® Stainless	DN40 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95465	KemPress® Stainless	DN50 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95466	KemPress® Stainless	DN65 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95467	KemPress® Stainless	DN100 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95500	KemPress® Stainless	DN15 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95501	KemPress® Stainless	DN20 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95502	KemPress® Stainless	DN25 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95503	KemPress® Stainless	DN32 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95504	KemPress® Stainless	DN40 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95505	KemPress® Stainless	DN50 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95506	KemPress® Stainless	DN65 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95507	KemPress® Stainless	DN100 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95510	KemPress® Stainless	DN15 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95511	KemPress® Stainless	DN20 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95512	KemPress® Stainless	DN25 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95513	KemPress® Stainless	DN32 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95514	KemPress® Stainless	DN40 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95515	KemPress® Stainless	DN50 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95516	KemPress® Stainless	DN65 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95517	KemPress® Stainless	DN100 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95550	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95551	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95552	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95553	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit 90° Bend F x F	Stainless Steel
X95560	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95561	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95562	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95563	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit 90° Bend F x F High Temperature	Stainless Steel
X95600	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95601	KemPress® Stainless	DN20 x R3/4 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95602	KemPress® Stainless	DN25 X R1 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95603	KemPress® Stainless	DN32 x R1 1/4 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95604	KemPress® Stainless	DN40 x R1 1/2 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95605	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit 90° Bend F x M	Stainless Steel
X95610	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95611	KemPress® Stainless	DN20 x R3/4 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95612	KemPress® Stainless	DN25 X R1 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95613	KemPress® Stainless	DN32 x R1 1/4 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95614	KemPress® Stainless	DN40 x R1 1/2 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95615	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit 90° Bend F x M High Temperature	Stainless Steel
X95650	KemPress® Stainless	DN15 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95651	KemPress® Stainless	DN20 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95652	KemPress® Stainless	DN25 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95653	KemPress® Stainless	DN32 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95654	KemPress® Stainless	DN40 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95655	KemPress® Stainless	DN50 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95656	KemPress® Stainless	DN65 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95657	KemPress® Stainless	DN100 Stainless Steel Press Fit 45° Bend F x M	Stainless Steel
X95660	KemPress® Stainless	DN15 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95661	KemPress® Stainless	DN20 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95662	KemPress® Stainless	DN25 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95663	KemPress® Stainless	DN32 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95664	KemPress® Stainless	DN40 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95665	KemPress® Stainless	DN50 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95666	KemPress® Stainless	DN65 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95667	KemPress® Stainless	DN100 Stainless Steel Press Fit 45° Bend F x M High Temperature	Stainless Steel
X95700	KemPress® Stainless	DN15 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95701	KemPress® Stainless	DN20 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95702	KemPress® Stainless	DN25 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95703	KemPress® Stainless	DN32 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95704	KemPress® Stainless	DN40 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95705	KemPress® Stainless	DN50 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95706	KemPress® Stainless	DN65 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95707	KemPress® Stainless	DN100 Stainless Steel Press Fit 45° Bend F x F	Stainless Steel
X95710	KemPress® Stainless	DN15 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95711	KemPress® Stainless	DN20 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95712	KemPress® Stainless	DN25 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95713	KemPress® Stainless	DN32 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95714	KemPress® Stainless	DN40 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95715	KemPress® Stainless	DN50 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95716	KemPress® Stainless	DN65 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95717	KemPress® Stainless	DN100 Stainless Steel Press Fit 45° Bend F x F High Temperature	Stainless Steel
X95750	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95751	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95752	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95753	KemPress® Stainless	DN32 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95754	KemPress® Stainless	DN40 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95755	KemPress® Stainless	DN50 Stainless Steel Press Fit Bend with Plain Ends 90°	Stainless Steel
X95800	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95801	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel
X95802	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel
X95803	KemPress® Stainless	DN32 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel
X95804	KemPress® Stainless	DN40 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel
X95805	KemPress® Stainless	DN50 Stainless Steel Press Fit Bend with Plain Ends 75°	Stainless Steel
X95850	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95851	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95852	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95853	KemPress® Stainless	DN40 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95854	KemPress® Stainless	DN50 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95855	KemPress® Stainless	DN65 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95856	KemPress® Stainless	DN100 Stainless Steel Press Fit Bend with Plain Ends 60°	Stainless Steel
X95900	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 45°	Stainless Steel
X95901	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 45°	Stainless Steel
X95902	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 45°	Stainless Steel
X95903	KemPress® Stainless	DN32 Stainless Steel Press Fit Bend with Plain Ends 45°	Stainless Steel
X95904	KemPress® Stainless	DN40 Stainless Steel Press Fit Bend with Plain Ends 45°	Stainless Steel
X95950	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95951	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95952	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95953	KemPress® Stainless	DN40 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95954	KemPress® Stainless	DN50 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95955	KemPress® Stainless	DN65 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X95956	KemPress® Stainless	DN100 Stainless Steel Press Fit Bend with Plain Ends 30°	Stainless Steel
X96000	KemPress® Stainless	DN15 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X96001	KemPress® Stainless	DN20 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96002	KemPress® Stainless	DN25 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X96003	KemPress® Stainless	DN32 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X96004	KemPress® Stainless	DN50 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X96005	KemPress® Stainless	DN65 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X96006	KemPress® Stainless	DN100 Stainless Steel Press Fit Bend with Plain Ends 15°	Stainless Steel
X95400	KemPress® Stainless	DN20 x DN15 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95401	KemPress® Stainless	DN25 x DN15 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95402	KemPress® Stainless	DN25 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95403	KemPress® Stainless	DN32 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95404	KemPress® Stainless	DN32 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95405	KemPress® Stainless	DN40 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95406	KemPress® Stainless	DN40 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95407	KemPress® Stainless	DN40 x DN32 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95408	KemPress® Stainless	DN50 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95409	KemPress® Stainless	DN50 x DN32 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95410	KemPress® Stainless	DN50 x DN40 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95411	KemPress® Stainless	DN65 x DN50 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95412	KemPress® Stainless	DN100 x DN50 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95413	KemPress® Stainless	DN100 x DN65 Stainless Steel Press Fit Reducer with Plain (Tube) End	Stainless Steel
X95414	KemPress® Stainless	DN20 x DN15 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95415	KemPress® Stainless	DN25 x DN15 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95416	KemPress® Stainless	DN25 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95417	KemPress® Stainless	DN32 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95418	KemPress® Stainless	DN32 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95419	KemPress® Stainless	DN40 x DN20 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95420	KemPress® Stainless	DN40 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X95421	KemPress® Stainless	DN40 x DN32 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95422	KemPress® Stainless	DN50 x DN25 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95423	KemPress® Stainless	DN50 x DN32 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95424	KemPress® Stainless	DN50 x DN40 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95425	KemPress® Stainless	DN65 x DN50 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95426	KemPress® Stainless	DN100 x DN50 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X95427	KemPress® Stainless	DN100 x DN65 Stainless Steel Press Fit Reducer with Plain (Tube) End High Temperature	Stainless Steel
X96050	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96051	KemPress® Stainless	DN15 x R3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96052	KemPress® Stainless	DN20 x R1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96053	KemPress® Stainless	DN20 x 3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96054	KemPress® Stainless	DN20 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96055	KemPress® Stainless	DN25 x 3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96056	KemPress® Stainless	DN25 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96057	KemPress® Stainless	DN32 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96058	KemPress® Stainless	DN32 x R11/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96059	KemPress® Stainless	DN40 x R11/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96060	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96061	KemPress® Stainless	DN65 x R21/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96062	KemPress® Stainless	DN100 x R4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End	Stainless Steel
X96063	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96064	KemPress® Stainless	DN15 x R3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96065	KemPress® Stainless	DN20 x R1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96066	KemPress® Stainless	DN20 x 3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96067	KemPress® Stainless	DN20 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96068	KemPress® Stainless	DN25 x 3/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96069	KemPress® Stainless	DN25 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96070	KemPress® Stainless	DN32 x R1 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96071	KemPress® Stainless	DN32 x R1 1/4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96072	KemPress® Stainless	DN40 x R1 1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96073	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96074	KemPress® Stainless	DN65 x R2 1/2 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96075	KemPress® Stainless	DN100 x R4 Stainless Steel Press Fit Adaptor Socket with Male Threaded End High Temperature	Stainless Steel
X96100	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit Adaptor Plain (Tube) with Male Threaded End	Stainless Steel
X96101	KemPress® Stainless	DN20 x R1/2 Stainless Steel Press Fit Adaptor Plain (Tube) with Male Threaded End	Stainless Steel
X96102	KemPress® Stainless	DN20 x R3/4 Stainless Steel Press Fit Adaptor Plain (Tube) with Male Threaded End	Stainless Steel
X96103	KemPress® Stainless	DN25 x R1 Stainless Steel Press Fit Adaptor Plain (Tube) with Male Threaded End	Stainless Steel
X96150	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96151	KemPress® Stainless	DN15 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96152	KemPress® Stainless	DN20 x RP1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96153	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96154	KemPress® Stainless	DN20 x RP1 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96155	KemPress® Stainless	DN25 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96156	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96157	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96158	KemPress® Stainless	DN40 x RP1 1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96159	KemPress® Stainless	DN50 x RP2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End	Stainless Steel
X96160	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96161	KemPress® Stainless	DN15 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96162	KemPress® Stainless	DN20 x RP1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96163	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96164	KemPress® Stainless	DN20 x RP1 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96165	KemPress® Stainless	DN25 x RP3/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96166	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96167	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96168	KemPress® Stainless	DN40 x RP1 1/2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96169	KemPress® Stainless	DN50 x RP2 Stainless Steel Press Fit Adaptor Socket x Female Threaded End High Temperature	Stainless Steel
X96200	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit Adaptor Plain (Tube) with Female Threaded End	Stainless Steel
X96201	KemPress® Stainless	DN20 x R1/2 Stainless Steel Press Fit Adaptor Plain (Tube) with Male Threaded End	Stainless Steel
X96202	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit Adaptor Plain (Tube) with Female Threaded End	Stainless Steel
X96203	KemPress® Stainless	DN25 x RP3/4 Stainless Steel Press Fit Adaptor Plain (Tube) with Female Threaded End	Stainless Steel
X96250	KemPress® Stainless	DN15 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96251	KemPress® Stainless	DN20 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96252	KemPress® Stainless	DN25 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96253	KemPress® Stainless	DN32 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96254	KemPress® Stainless	DN40 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96255	KemPress® Stainless	DN50 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96256	KemPress® Stainless	DN65 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96257	KemPress® Stainless	DN100 Stainless Steel Press Fit Equal Tee	Stainless Steel
X96260	KemPress® Stainless	DN15 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96261	KemPress® Stainless	DN20 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96262	KemPress® Stainless	DN25 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96263	KemPress® Stainless	DN32 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96264	KemPress® Stainless	DN40 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96265	KemPress® Stainless	DN50 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96266	KemPress® Stainless	DN65 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96267	KemPress® Stainless	DN100 Stainless Steel Press Fit Equal Tee High Temperature	Stainless Steel
X96300	KemPress® Stainless	DN20 x DN15 x DN20 Stainless Steel Press Fit Reducing Tee	Stainless Steel



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96301	KemPress® Stainless	DN25 x DN15 x DN25 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96302	KemPress® Stainless	DN25 x DN20 x DN25 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96303	KemPress® Stainless	DN32 x DN15 x DN32 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96304	KemPress® Stainless	DN32 x DN20 x DN32 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96305	KemPress® Stainless	DN32 x DN25 x DN32 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96306	KemPress® Stainless	DN40 x DN20 x DN40 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96307	KemPress® Stainless	DN40 x DN25 x DN40 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96308	KemPress® Stainless	DN40 x DN32 x DN40 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96309	KemPress® Stainless	DN50 x DN20 x DN50 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96310	KemPress® Stainless	DN50 x DN25 x DN50 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96311	KemPress® Stainless	DN50 x DN32 x DN50 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96312	KemPress® Stainless	DN50 x DN40 x DN50 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96313	KemPress® Stainless	DN65 x DN20 x DN65 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96314	KemPress® Stainless	DN65 x DN25 x DN65 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96315	KemPress® Stainless	DN65 x DN32 x DN65 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96316	KemPress® Stainless	DN65 x DN40 x DN65 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96317	KemPress® Stainless	DN65 x DN50 x DN65 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96318	KemPress® Stainless	DN100 x DN20 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96319	KemPress® Stainless	DN100 x DN25 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96320	KemPress® Stainless	DN100 x DN32 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96321	KemPress® Stainless	DN100 x DN40 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96322	KemPress® Stainless	DN100 x DN50 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96323	KemPress® Stainless	DN100 x DN65 x DN100 Stainless Steel Press Fit Reducing Tee	Stainless Steel
X96350	KemPress® Stainless	DN20 x DN15 x DN20 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96351	KemPress® Stainless	DN25 x DN15 x DN25 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96352	KemPress® Stainless	DN25 x DN20 x DN25 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96353	KemPress® Stainless	DN32 x DN15 x DN32 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96354	KemPress® Stainless	DN32 x DN20 x DN32 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96355	KemPress® Stainless	DN32 x DN25 x DN32 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96356	KemPress® Stainless	DN40 x DN20 x DN40 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96357	KemPress® Stainless	DN40 x DN25 x DN40 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96358	KemPress® Stainless	DN40 x DN32 x DN40 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96359	KemPress® Stainless	DN50 x DN20 x DN50 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96360	KemPress® Stainless	DN50 x DN25 x DN50 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96361	KemPress® Stainless	DN50 x DN32 x DN50 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96362	KemPress® Stainless	DN50 x DN40 x DN50 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96363	KemPress® Stainless	DN65 x DN20 x DN65 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96364	KemPress® Stainless	DN65 x DN25 x DN65 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96365	KemPress® Stainless	DN65 x DN32 x DN65 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96366	KemPress® Stainless	DN65 x DN40 x DN65 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96367	KemPress® Stainless	DN65 x DN50 x DN65 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96368	KemPress® Stainless	DN100 x DN20 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96369	KemPress® Stainless	DN100 x DN25 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96370	KemPress® Stainless	DN100 x DN32 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96371	KemPress® Stainless	DN100 x DN40 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96372	KemPress® Stainless	DN100 x DN50 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96373	KemPress® Stainless	DN100 x DN65 x DN100 Stainless Steel Press Fit Reducing Tee High Temperature	Stainless Steel
X96450	KemPress® Stainless	DN15 x DN15 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96451	KemPress® Stainless	DN20 x DN20 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96452	KemPress® Stainless	DN20 x DN20 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96453	KemPress® Stainless	DN25 x DN25 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96454	KemPress® Stainless	DN25 x DN25 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96455	KemPress® Stainless	DN25 x DN25 x RP1 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96456	KemPress® Stainless	DN32 x DN32 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96457	KemPress® Stainless	DN32 x DN32 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96458	KemPress® Stainless	DN32 x DN32 x RP11/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96459	KemPress® Stainless	DN40 x DN40 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96460	KemPress® Stainless	DN40 x DN40 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96461	KemPress® Stainless	DN40 x DN40 x RP11/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96462	KemPress® Stainless	DN50 x DN50 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96463	KemPress® Stainless	DN50 x DN50 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96464	KemPress® Stainless	DN50 x DN50 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96465	KemPress® Stainless	DN65 x DN65 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96466	KemPress® Stainless	DN65 x DN65 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96467	KemPress® Stainless	DN100 x DN100 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96468	KemPress® Stainless	DN100 x DN100 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded	Stainless Steel
X96500	KemPress® Stainless	DN15 x DN15 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96501	KemPress® Stainless	DN20 x DN20 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96502	KemPress® Stainless	DN20 x DN20 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96503	KemPress® Stainless	DN25 x DN25 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96504	KemPress® Stainless	DN25 x DN25 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96505	KemPress® Stainless	DN25 x DN25 x RP1 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96506	KemPress® Stainless	DN32 x DN32 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96507	KemPress® Stainless	DN32 x DN32 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96508	KemPress® Stainless	DN32 x DN32 x RP11/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96509	KemPress® Stainless	DN40 x DN40 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96510	KemPress® Stainless	DN40 x DN40 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96511	KemPress® Stainless	DN40 x DN40 x RP11/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96512	KemPress® Stainless	DN50 x DN50 x RP1/2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96513	KemPress® Stainless	DN50 x DN50 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96514	KemPress® Stainless	DN50 x DN50 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96515	KemPress® Stainless	DN65 x DN65 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96516	KemPress® Stainless	DN65 x DN65 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96517	KemPress® Stainless	DN100 x DN100 x RP3/4 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96518	KemPress® Stainless	DN100 x DN100 x RP2 Stainless Steel Press Fit Adaptor Tee (Tee Junction) Socket x Female Threaded High Temperature	Stainless Steel
X96600	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit 90° Bend with Wall Mount Plate	Stainless Steel
X96601	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit 90° Bend with Wall Mount Plate	Stainless Steel
X96602	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit 90° Bend with Wall Mount Plate	Stainless Steel
X96610	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit 90° Bend with Wall Mount Plate High Temperature	Stainless Steel
X96611	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit 90° Bend with Wall Mount Plate High Temperature	Stainless Steel
X96612	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit 90° Bend with Wall Mount Plate High Temperature	Stainless Steel
X96700	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit Union	Stainless Steel
X96701	KemPress® Stainless	DN15 x RP3/4 Stainless Steel Press Fit Union	Stainless Steel
X96702	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit Union	Stainless Steel
X96703	KemPress® Stainless	DN20 x RP1 Stainless Steel Press Fit Union	Stainless Steel
X96704	KemPress® Stainless	DN25 x RP3/4 Stainless Steel Press Fit Union	Stainless Steel
X96705	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Union	Stainless Steel
X96706	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit Union	Stainless Steel
X96707	KemPress® Stainless	DN40 x RP1 1/2 Stainless Steel Press Fit Union	Stainless Steel
X96708	KemPress® Stainless	DN50 x RP2 Stainless Steel Press Fit Union	Stainless Steel
X96710	KemPress® Stainless	DN15 x RP1/2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96711	KemPress® Stainless	DN15 x RP3/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96712	KemPress® Stainless	DN20 x RP3/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96713	KemPress® Stainless	DN20 x RP1 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96714	KemPress® Stainless	DN25 x RP3/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96715	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96716	KemPress® Stainless	DN32 x RP1 1/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96717	KemPress® Stainless	DN40 x RP1 1/2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96718	KemPress® Stainless	DN50 x RP2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96750	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit Union	Stainless Steel
X96751	KemPress® Stainless	DN15 x R3/4 Stainless Steel Press Fit Union	Stainless Steel
X96752	KemPress® Stainless	DN20 x R3/4 Stainless Steel Press Fit Union	Stainless Steel
X96753	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Union	Stainless Steel
X96754	KemPress® Stainless	DN32 x R 1 1/4 Stainless Steel Press Fit Union	Stainless Steel
X96755	KemPress® Stainless	DN40 x R1 1/2 Stainless Steel Press Fit Union	Stainless Steel
X96756	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit Union	Stainless Steel
X96760	KemPress® Stainless	DN15 x R1/2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96761	KemPress® Stainless	DN15 x R3/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96762	KemPress® Stainless	DN20 x R3/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96763	KemPress® Stainless	DN25 x RP1 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96764	KemPress® Stainless	DN32 x R 1 1/4 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96765	KemPress® Stainless	DN40 x R1 1/2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96766	KemPress® Stainless	DN50 x R2 Stainless Steel Press Fit Union High Temperature	Stainless Steel
X96800	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96801	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96802	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96803	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96804	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96805	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96806	KemPress® Stainless	DN80 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96807	KemPress® Stainless	DN100 Stainless Steel Press Fit Socket with Adaptor Flange	Stainless Steel
X96810	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96811	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96812	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96813	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96814	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96815	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96816	KemPress® Stainless	DN80 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96817	KemPress® Stainless	DN100 Stainless Steel Press Fit Socket with Adaptor Flange High Temperature	Stainless Steel
X96850	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96851	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96852	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96853	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96854	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96855	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket with End Cap	Stainless Steel
X96860	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96861	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96862	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96863	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96864	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96865	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket with End Cap High Temperature	Stainless Steel
X96900	KemPress® Stainless	DN15 Stainless Steel Press Fit Spigot Pipe Bridge	Stainless Steel
X96901	KemPress® Stainless	DN20 Stainless Steel Press Fit Spigot Pipe Bridge	Stainless Steel
X96902	KemPress® Stainless	DN25 Stainless Steel Press Fit Spigot Pipe Bridge	Stainless Steel
X96950	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket Full Crossover	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X96951	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket Full Crossover	Stainless Steel
X96952	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket Full Crossover	Stainless Steel
X97000	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97001	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97002	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97003	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97004	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97005	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97006	KemPress® Stainless	DN65 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97007	KemPress® Stainless	DN100 Stainless Steel Press Fit Socket Expansion Compensator	Stainless Steel
X97700	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97701	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97702	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97703	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97704	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97705	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97706	KemPress® Stainless	DN80 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97707	KemPress® Stainless	DN100 Stainless Steel Press Fit Socket Adaptor Flange ANSI B16.5 CL150 High Temperature	Stainless Steel
X97710	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97711	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97712	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97713	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97714	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97715	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97716	KemPress® Stainless	DN80 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel
X97717	KemPress® Stainless	DN100 Stainless Steel Press Fit Socket Adaptor Flange AS2129 Table E High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16



WaterMark Certification Schedule

Model ID	Brand Name	Product Description	Material Designation
X97730	KemPress® Stainless	DN15 Stainless Steel Press Fit Socket Adaptor Male Threaded 1/2" NPT High Temperature	Stainless Steel
X97731	KemPress® Stainless	DN20 Stainless Steel Press Fit Socket Adaptor Male Threaded 3/4" NPT High Temperature	Stainless Steel
X97732	KemPress® Stainless	DN25 Stainless Steel Press Fit Socket Adaptor Male Threaded 1" NPT High Temperature	Stainless Steel
X97733	KemPress® Stainless	DN32 Stainless Steel Press Fit Socket Adaptor Male Threaded 1 1/4" NPT High Temperature	Stainless Steel
X97734	KemPress® Stainless	DN40 Stainless Steel Press Fit Socket Adaptor Male Threaded 1 1/2" NPT High Temperature	Stainless Steel
X97735	KemPress® Stainless	DN50 Stainless Steel Press Fit Socket Adaptor Male Threaded 2" NPT High Temperature	Stainless Steel



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 448 235 770
Email: support@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23087
Issue Date: 07/07/2025
Revision: CR16